

The following page(s) are extracted from multi-page Kuhnke product catalogues or CDROMs and any page number shown is relevant to the original document. The PDF sheets here may have been combined to provide technical information about the specific product(s) you have selected.

Hard copy product catalogues, and CDROMs have been published describing Kuhnke Pneumatics, Solenoids, Relays and Electronics; some divided into different books. A list of current publications is available on this web site or from our sales offices. Some may be available for download, but as substantially larger files.

Contact Details

Kuhnke sales and service in the UK

H. Kuhnke Ltd
Unit 21, Abbey Enterprise Center
Premier Way
Romsey
Hants
SO51 9AQ

T: 01794 514445

F: 01794 513514

Email: sales@kuhnke.co.uk

Important Note

The information shown in these documents is for guidance only. No liability is accepted for any errors or omissions. The designer or user is solely responsible for the safe and proper application of the parts, assemblies or equipment described.

Part Number ATEX Certified Solenoid Valves (Excluding Coils)

| | |
|-------------|---|
| 760239100EX | 5/2 spool, G1/8, solenoid/spring return |
| 760239200EX | 5/2 spool, G1/8, solenoid/solenoid |
| 760239400EX | 5/2 spool, G1/8, solenoid/spring return, H coil |
| 760239500EX | 5/2 spool, G1/8, solenoid/solenoid, H coils |
| 760240200EX | 5/3 spool, G1/8, open center, solenoid/solenoid |
| 760240500EX | 5/3 spool, G1/8, open center, solenoid/solenoid, H coils |
| 760241200EX | 5/3 spool, G1/8, closed center, solenoid/solenoid |
| 760241500EX | 5/3 spool, G1/8, closed center, solenoid/solenoid, H coils |
| 760260100EX | 3/2 poppet n.c., G1/8, solenoid/spring return |
| 760261100EX | 3/2 poppet n.o., G1/8, solenoid/spring return |
| 760264100EX | 3/2 pilot n.c., modular subplate G1/8, 2,4 mm orifice |
| 760265100EX | 3/2 pilot n.c., single subplate G1/8, 2,4 mm orifice |
| 760279100EX | 5/2 poppet, G1/8, solenoid/spring return |
| 760279200EX | 5/2 poppet, G1/8, solenoid/solenoid |
| 760279400EX | 5/2 poppet, G1/8, solenoid/spring return, H coil |
| 760279500EX | 5/2 poppet, G1/8, solenoid/solenoid, H coils |
| 760360100EX | 3/2 pilot n.c., 1 mm orifice, zama subplate |
| 760360200EX | 3/2 pilot n.o., 1 mm orifice, zama subplate |
| 760439100EX | 5/2 spool, G1/4, solenoid/spring return |
| 760439200EX | 5/2 spool, G1/4, solenoid/solenoid |
| 760439400EX | 5/2 spool, G1/4, solenoid/spring return, H coil |
| 760439500EX | 5/2 spool, G1/4, solenoid/solenoid, H coils |
| 760440200EX | 5/3 spool, G1/4, open center, solenoid/solenoid |
| 760440500EX | 5/3 spool, G1/4, open center, solenoid/solenoid, H coils |
| 760441200EX | 5/3 spool, G1/4, closed center, solenoid/solenoid |
| 760441500EX | 5/3 spool, G1/4, closed center, solenoid/solenoid, H coils |
| 760460100EX | 3/2 poppet n.c., G1/4, solenoid/spring return |
| 760461100EX | 3/2 poppet n.o., G1/4, solenoid/spring return |
| 760479100EX | 5/2 poppet, G1/4, solenoid/spring return |
| 760479200EX | 5/2 poppet, G1/4, solenoid/solenoid |
| 760479400EX | 5/2 poppet, G1/4, solenoid/spring return, H coil |
| 760479500EX | 5/2 poppet, G1/4, solenoid/solenoid, H coils |
| 760660100EX | 3/2 poppet n.c., G1/2, solenoid/spring return |
| 760661100EX | 3/2 poppet n.o., G1/2, solenoid/spring return |
| 760679100EX | 5/2 poppet, G1/2, solenoid/spring return |
| 760679200EX | 5/2 poppet, G1/2, solenoid/solenoid |
| 760679400EX | 5/2 poppet, G1/2, solenoid/spring return, H coil |
| 760679500EX | 5/2 poppet, G1/2, solenoid/solenoid, H coils |
| 760739100EX | 5/2 spool, G1/4, solenoid/spring return, Namur |
| 760739200EX | 5/2 spool, G1/4, solenoid/solenoid, Namur |
| 760740200EX | 5/3 spool, G1/4, open center, solenoid/solenoid, Namur |
| 760741200EX | 5/3 spool, G1/4, closed center, solenoid/solenoid, Namur |
| 760779100EX | 5/2 poppet, G1/4, solenoid/spring return, Namur |
| 760779200EX | 5/2 poppet, G1/4, solenoid/solenoid, Namur |
| 760838800EX | 5/2 spool, G1/4, Flip-Flop, solenoid/pneumatic, Cnomo pilot valve |
| 760838900EX | 5/2 spool, G1/4, Flip-Flop, solenoid/pneumatic |
| 760839000EX | 5/2 spool, G1/8, oscillator, start with solenoid |
| 760839100EX | 5/2 spool, ISO 1, solenoid/spring return |
| 760839200EX | 5/2 spool, ISO 1, solenoid/solenoid |
| 760839400EX | 5/2 spool, ISO 1, solenoid/spring return, H coil |
| 760839500EX | 5/2 spool, ISO 1, solenoid/solenoid, H coils |
| 760839700EX | 5/2 spool, ISO 1, solenoid/spring return, Cnomo pilot valve |
| 760839800EX | 5/2 spool, ISO 1, solenoid/solenoid, Cnomo pilot valve |
| 760840200EX | 5/3 spool, ISO 1, open center, solenoid/solenoid |
| 760840500EX | 5/3 spool, ISO 1, open center, solenoid/solenoid, H coils |
| 760840800EX | 5/3 spool, ISO 1, open center, solenoid/solenoid, Cnomo pilot valve |
| 760841200EX | 5/3 spool, ISO 1, closed center, solenoid/solenoid |
| 760841500EX | 5/3 spool, ISO 1, closed center, solenoid/solenoid, H coils |
| 760841800EX | 5/3 spool, ISO 1, closed center, solenoid/solenoid, Cnomo pilot valve |
| 760879100EX | 5/2 poppet, ISO 1, solenoid/spring return |
| 760879200EX | 5/2 poppet, ISO 1, solenoid/solenoid |
| 760879400EX | 5/2 poppet, ISO 1, solenoid/spring return, H coil |
| 760879500EX | 5/2 poppet, ISO 1, solenoid/solenoid, H coils |
| 760879600EX | 5/2 poppet, ISO 1, solenoid/solenoid with priority, H coils |
| 760879700EX | 5/2 poppet, ISO 1, solenoid/spring return, Cnomo pilot valve |
| 760879800EX | 5/2 poppet, ISO 1, solenoid/solenoid, Cnomo pilot valve |
| 760939700EX | 5/2 spool, ISO 2, solenoid/spring return |
| 760939800EX | 5/2 spool, ISO 2, solenoid/solenoid |

Part Number ATEX Certified Solenoid Valves (Excluding Coils)

| | |
|-------------|--|
| 760940800EX | 5/3 spool, ISO 2, open center, solenoid/solenoid |
| 760941800EX | 5/3 spool, ISO 2, closed center, solenoid/solenoid |
| 760979700EX | 5/2 poppet, ISO 2, solenoid/spring return |
| 760979800EX | 5/2 poppet, ISO 2, solenoid/solenoid |
| 761360100EX | 3/2 pilot n.c., 1 mm orifice, plastic subplate |
| 761361100EX | 3/2 pilot n.c., 1,5 mm orifice, plastic subplate |
| 761362100EX | 3/2 pilot n.c., connection holes acc. Cnomo, plastic subplate |
| 762260100EX | 3/2 poppet n.c., G1/8, solenoid/spring return, for vacuum |
| 762261100EX | 3/2 poppet n.o., G1/8, solenoid/spring return, for vacuum |
| 762460100EX | 3/2 poppet n.c., G1/4, solenoid/spring return, for vacuum |
| 762461100EX | 3/2 poppet n.o., G1/4, solenoid/spring return, for vacuum |
| 762660100EX | 3/2 poppet n.c., G1/2, solenoid/spring return, for vacuum |
| 762661100EX | 3/2 poppet n.o., G1/2, solenoid/spring return, for vacuum |
| 763239100EX | 5/2 spool, G1/8, solenoid/spring return, auxiliary pilot air connection |
| 763239200EX | 5/2 spool, G1/8, solenoid/solenoid, auxiliary pilot air connections |
| 763260100EX | 3/2 poppet n.c., G1/8, solenoid/spring return, auxiliary pilot air connection |
| 763261100EX | 3/2 poppet n.o., G1/8, solenoid/spring return, auxiliary pilot air connection |
| 763279100EX | 5/2 poppet, G1/8, solenoid/spring return, auxiliary pilot air connection |
| 763279200EX | 5/2 poppet, G1/8, solenoid/solenoid, auxiliary pilot air connection |
| 763439100EX | 5/2 spool, G1/4, solenoid/spring return, auxiliary pilot air connection |
| 763439200EX | 5/2 spool, G1/4, solenoid/solenoid, auxiliary pilot air connections |
| 763440200EX | 5/3 spool, G1/4, open center, solenoid/solenoid, auxiliary pilot air connections |
| 763460100EX | 3/2 poppet n.c., G1/4, solenoid/spring return, auxiliary pilot air connection |
| 763461100EX | 3/2 poppet n.o., G1/4, solenoid/spring return, auxiliary pilot air connection |
| 763479100EX | 5/2 poppet, G1/4, solenoid/spring return, auxiliary pilot air connections |
| 763479200EX | 5/2 poppet, G1/4, solenoid/solenoid, auxiliary pilot air connections |
| 763660100EX | 3/2 poppet n.c., G1/2, solenoid/spring return, auxiliary pilot air connection |
| 763661100EX | 3/2 poppet n.o., G1/2, solenoid/spring return, auxiliary pilot air connection |
| 763679100EX | 5/2 poppet, G1/2, solenoid/spring return, auxiliary pilot air connection |
| 763679200EX | 5/2 poppet, G1/2, solenoid/solenoid, auxiliary pilot air connections |
| 763679500EX | 5/2 poppet, G1/2, solenoid/solenoid, H coils, auxiliary pilot air connections |
| 763839700EX | 5/2 spool, ISO 1, solenoid/spring return, Cnomo pilot valve, auxiliary pilot air connection |
| 763840500EX | 5/3 spool, ISO 1, open center, solenoid/solenoid, H coils, auxiliary pilot air connections |
| 763879400EX | 5/2 poppet, ISO 1, solenoid/spring return, H coil, auxiliary pilot air connection |
| 763879700EX | 5/2 poppet, ISO 1, solenoid/spring return, Cnomo pilot valve, auxiliary pilot air connection |
| 763879800EX | 5/2 poppet, ISO 1, solenoid/solenoid, Cnomo pilot valve, auxiliary pilot air connections |
| 763939700EX | 5/2 spool, ISO 2, solenoid/spring return, auxiliary pilot air connection |
| 763939800EX | 5/2 spool, ISO 2, solenoid/solenoid, auxiliary pilot air connections |
| 763979700EX | 5/2 poppet, ISO 2, solenoid/spring return, auxiliary pilot air connection |

Part Number ATEX Certified Solenoid Coils

| | |
|-------------|--|
| 764110001EX | Atex coil Eex m II T4, 12VDC, 5,6W, cable length 3 m |
| 764110002EX | Atex coil Eex m II T4, 24VDC, 5,2W, cable length 3 m |
| 764110003EX | Atex coil Eex m II T4, 48VDC, 5,1W, cable length 3 m |
| 764110004EX | Atex coil Eex m II T4, 110VDC, 5,9W, cable length 3 m |
| 764110212EX | Atex coil Eex m II T4, 24VAC, 4,1VA, cable length 3 m |
| 764110214EX | Atex coil Eex m II T4, 110VAC, 4,7VA, cable length 3 m |
| 764110215EX | Atex coil Eex m II T4, 230VAC, 4,8-5,8VA, cable length 3 m |